Virus Bulletin

Covering the global threat landscape

VB100 TEST REPORT



Hammock

AssetView

June 30, 2021







Certification

99.89% malware detected



Clean

0.001% false alarms



Diversity

99.80% malware detected

Quick Summary

Product version

VPlus server: 13.0.0.1004, Client: 13.0.0.1054

Test date:

June 10, 2021

Test methodology

VB100 1.3 (IIII)

Test platform

Microsoft Windows 10 Pro N, 64-bit, 10.0.19041

VB100 Test Report 1



Executive summary

We tested **AssetView** (version VPlus server: 13.0.0.1004, Client: 13.0.0.1054) on June 10, 2021, on Microsoft Windows 10 Pro N, 64-bit, 10.0.19041, as per the 1.3 version of the VB100 methodology.

The tested product has successfully met the VB100 test criteria.

Test criteria:

- The product must detect at least 99.5% of all test cases in the Certification set (malicious samples).
- The product must not generate more than 0.05% false alarms in the Clean set (legitimate program samples).

Where to find more details

For detailed test results, please consult the rest of the report. You may also find the links below useful for up-to-date information on how to interpret the report data.

- Report reader's guide Link
 Everything you find in this report, explained.
- Testing methodology, version 1.3 Learn exactly how we test.
- VB100 on the web VB100 news and certified products.

VB100 Test Report 2



Test sets and product response

The VB100 test uses multiple sets of malicious and clean test cases to verify the ability of the tested product to detect malware, and to do so without generating false alarms for legitimate programs.

AT A GLANCE

	AT A GLANCE	
CERTIFICATION	CLEAN	DIVERSITY
Description	Description	Description
Common and prevalent Windows malware recently observed in the the wild.	A random selection of some widely and less widely used legitimate program files.	Assorted malicious Windows executables, including less clear cut cases and more obscure threats.
Type	Type	Type
	R	
Outcome	Outcome	Outcome
Pass 🤡	Pass 🤡	N/A
Detection rate	False alarm rate	Detection rate
99.89%	0.001%	99.80%
Best possible outcome: 100.00% Requirement: >= 99.5%	Best possible outcome: 0.00% Requirement: >= 0.50%	Best possible outcome: 100.00% Requirement: N/A supplementary
	DETAILED TEST RESULTS	
Total cases tested	Total cases tested	Total cases tested
903	99,999	999
Cases detected	Cases with false alarm	Cases detected
902	1	997
Cases missed	Cases without false alarm	Cases missed
1	99,998	2
	TEST SET COMPOSITION	
Windows PE executables	Windows PE executables	Windows PE executables
903	29,118	999
Other file types	Other file types	Other file types

VB100 Test Report 3



Report notes

Report notes contain complementary information that may be of interest to the report reader. Likewise, any extraordinary circumstance—particularly, those that may affect the test results—are recorded in these notes.

During this test, no such notes were generated.



Virus Bulletin Ltd

Manor House, Office 6, Howbery Business Park

Wallingford OX10 8BA, United Kingdom +44 20 3920 6348

editorial@virusbulletin.com

https://www.virusbulletin.com/

Head of Testing: Péter Karsai

Security Test Engineers: Gyula Hachbold, Adrian Luca, Csaba Mészáros, Tony Oliveira, Ionuţ Răileanu

Sales Executive: Allison Sketchley

Editorial Assistant: Helen Martin