

Virus Bulletin

Covering the global threat landscape

VB100 TEST REPORT



Acronis

Acronis Cyber Protect Home Office



November 23, 2021



Test result
Test passed



Certification
100.00% malware detected



Clean
0.000% false alarms



Diversity
100.00% malware detected

Quick Summary

Product version
2021 build 39216

Test date:
November 1, 2021

Test methodology
VB100 1.3 [Link](#)

Test platform
Microsoft Windows 10 Pro N, 64-bit, 10.0.19043

Executive summary

We tested **Acronis Cyber Protect Home Office** (version 2021 build 39216) on November 1, 2021, on Microsoft Windows 10 Pro N, 64-bit, 10.0.19043, as per the 1.3 version of the VB100 methodology.

The tested product has successfully met the VB100 test criteria.

Test criteria:

- The product must detect at least 99.5% of all test cases in the Certification set (malicious samples).
- The product must not generate more than 0.05% false alarms in the Clean set (legitimate program samples).

Where to find more details






For detailed test results, please consult the rest of the report. You may also find the links below useful for up-to-date information on how to interpret the report data.

- **Report reader's guide** [Link](#)
Everything you find in this report, explained.
- **Testing methodology, version 1.3** [Link](#)
Learn exactly how we test.
- **VB100 on the web** [Link](#)
VB100 news and certified products.

Test sets and product response

The VB100 test uses multiple sets of malicious and clean test cases to verify the ability of the tested product to detect malware, and to do so without generating false alarms for legitimate programs.

AT A GLANCE

CERTIFICATION	CLEAN	DIVERSITY
Description Common and prevalent Windows malware recently observed in the wild.	Description A random selection of some widely and less widely used legitimate program files.	Description Assorted malicious Windows executables, including less clear-cut cases and more obscure threats.
Type 	Type 	Type 
Outcome Pass 	Outcome Pass 	Outcome N/A
Detection rate 100.00% Best possible outcome: 100.00% Requirement: $\geq 99.5\%$	False alarm rate 0.000% Best possible outcome: 0.00% Requirement: $\leq 0.05\%$	Detection rate 100.00% Best possible outcome: 100.00% Requirement: N/A supplementary

DETAILED TEST RESULTS

Total cases tested	Total cases tested	Total cases tested
1,189	100,000	1,000
Cases detected	Cases with false alarm	Cases detected
1,189	0	1,000
Cases missed	Cases without false alarm	Cases missed
0	100,000	0
TEST SET COMPOSITION		
Windows PE executables	Windows PE executables	Windows PE executables
1,189	30,386	1,000
Other file types	Other file types	Other file types
0	69,614	0

November 23, 2021

VB100 TEST REPORT



Report notes

Report notes contain complementary information that may be of interest to the report reader. Likewise, any extraordinary circumstance—particularly, those that may affect the test results—are recorded in these notes.

During this test, no such notes were generated.



Virus Bulletin Ltd

Manor House, Office 6,
Howbery Business Park

Wallingford OX10 8BA,
United Kingdom

+44 20 3920 6348

editorial@virusbulletin.com

<https://www.virusbulletin.com/>

Head of Testing: Péter Karsai

Security Test Engineers: Gyula
Hachbold, Adrian Luca, Csaba
Mészáros, Ionuț Răileanu, Bálint
Tanos

Sales Executive: Allison Sketchley

Editorial Assistant: Helen Martin